




Timken Bearing Company

INA TASE40-N Bearing section



TASE40-N Bearing 2D drawings and 3D CAD models

Bearing No. TASE40-N

Bore Diameter	40 mm
d	40 mm
S1	35,1 mm
Thread (Q)	Rp1/8
d3	58 mm
A	48 mm
A1	30 mm
B1	56,5 mm
H	49,2 mm
H1	19 mm
H2	99 mm
J	138 mm
L	179 mm
N	14 mm
N1	26 mm
Weight	1,96 Kg
Basic dynamic load rating (C)	32,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	2.263
EAN	4012802799170
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar



Timken Bearing Company

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE40KPPB3
Seals	Double Triply
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Radial Standard Shaft Height Metric With Set Screw
Long Description	2 Bolt Pillow Block; 40MM Bore; 49.2MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 125MM Minimum Bolt Spacing; 147MM Maximum Bolt Spacing; Relubricatable; Cast Iron; Double Triply; No
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	TASE40
Weight / LBS	4.631
Length Thru Bore	2.217 Inch 56.3 Millimeter
Bolt Spacing Maximum	5.787 Inch 147Millimeter
Bolt Spacing Minimum	4.921 Inch 125Millimeter
Base to Center Height	1.937 Inch 49.2 Millimeter
Nominal Bolt Center to Center	5.4 Inch 136 Millimeter



Timken Bearing Company

Bore

1.575 Inch | 40 Millimeter